

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/620,724	07/15/2003	Paul E. Bender	990456B1	9059	
23696 OUALCOMM	7590 01/07/201 INCORPORATED	0	EXAM	IINER	
5775 MOREH	OUSE DR.		DAILEY, THOMAS J		
SAN DIEGO,	CA 92121		ART UNIT	PAPER NUMBER	
			2452		
			NOTIFICATION DATE	DELIVERY MODE	
			01/07/2010	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

us-docketing@qualcomm.com kascanla@qualcomm.com nanm@qualcomm.com

Application No. Applicant(s) 10/620,724 BENDER ET AL. Office Action Summary Examiner Art Unit Thomas J. Dailey 2452 - The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

· chearer repriy						
A SHORTENED STATUTORY PERIOD FOR REPLY IS S WHICHEVER IS LONGER, FROM THE MAILING DATE Extensions of mm may be available under the provisions of 37 CPR 1.35(a). If NO period for reply is specified above, the maximum statutory period will apply in a proper period will apply received by the Office later than three months after the mailing date of earned patient term adjustment. See 37 CPR 1.704(b).	OF THIS COMMUNICATION. In no event, however, may a reply be timely filed by and will expire SIX (6) MONTHS from the mailing date of this communication. the application to become ABANDONED (35 U.S.C. § 133).					
Status						
1) Responsive to communication(s) filed on 27 October	<u>er 2009</u> .					
2a) ☐ This action is FINAL. 2b) ☐ This action	on is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the me						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 1-22 is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-22</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or elec	ction requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign prior	rity under 35 U.S.C. § 119(a)-(d) or (f).					
a) All b) Some * c) None of:						
 Certified copies of the priority documents have been received. 						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
See the attached detailed Office action for a list of the	e certified copies not received.					
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Interview Summary (PTO-413) Paper No(s)/Mail Date					
Notice of Draitsperson's Patent Drawing Review (P10-946) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal Patent Application					

U.S.	Patent and Trademark	Offic
PT	OI -326 (Rev. 08-0	161

Paper No(s)/Mail Date _____

6) Other: .

Application/Control Number: 10/620,724 Page 2

Art Unit: 2452

DETAILED ACTION

1. Claims 1-22 are pending.

Response to Arguments

Applicant's arguments filed 10/27/2009 have been fully considered but they are not persuasive.

- 3. The applicant argues with respect to claim 1 that Gwon fails to teach or suggest "means for providing a location of session information for a current data communication session, wherein the location of session information identifies a storage location external to the access terminal."
- 4. The examiner disagrees and notes the arguments amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references. That is, the arguments do not have any specifics as to why Gwon fails to disclose the claimed limitations.

Therefore, the examiner maintains Gwon discloses session information identification means for providing a location of session information for a current data communication session, wherein the location information identifies a storage location external to the access terminal ([0064], lines 1-11, during Post-MIT operation, when the mobile node (access terminal) moves from oFA fold Foreign

Agent] to nFA [new Foreign agent], the node sends a Hreg(m) to the nFA that contains the IP address of the oFA (location of session information), from which the nFA retrieves information to form the tunnel).

- 5. The applicant argues with respect to claim 12 that Eyuboglu fails to teach or suggest, "storing session information for the first communication session in a first location; determining a session information IP address to the first location; and assigning the session information IP address to a mobile station identifier."
- 6. and notes the arguments amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references. That is, the arguments do not have any specifics as to why Eyuboglu fails to disclose the claimed limitations.

Therefore, the examiner maintains Eyuboglu discloses assigning the session information IP address to a mobile station identifier for an access terminal participant to the first communication session ([0051], lines 1-10, RNC's IP address reads on "session information IP address" and that is part of UATI, i.e. the "mobile station identifier, see [0033]-[0034] for UATI assignment).

- 7. Lastly, the applicant argues with respect to claims 1 and 12, that Leung fails to disclose, "an element comprising the storage location assigns the location of session information as an access terminal identifier." Specifically, the applicant alleges that Leung is directed to methods for assigning an IP address to a mobile node during registration and after Leung's registration a table is updated with a mapping of the mobile node ID to the IP address. The applicant further contends, there is no mention in Leung of assigning the location of session information as an access terminal identifier. Concluding, in Leung, both the access terminal ID and the assigned IP address are used in conjunction, and the IP address is not used in lieu of the access terminal ID, and therefore is not "assigned as an access terminal identifier".
- 8. The examiner disagrees. Firstly, in response the applicant's contention that Leung's IP address "is not used in lieu of the access terminal ID, and therefore is not 'assigned as an access terminal identifier'"; the examiner notes although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). That is, nothing explicitly recited in the claims would suggest to one of ordinary skill in the art that the claimed invention includes an IP address (or some other identifier) that is used in lieu of an access terminal ID.

Furthermore, Leung discloses an element comprising a storage location of session information assigns the location of session information as an access terminal identifier (column 5, lines 7-15, home agent (element) assigns IP address to mobile node as an access terminal identifier; home agent stores information related to the mobile node sessions arranged by IP address and mobile node ID (column 5, line 66-column 6, line 2 and Fig. 5, "mobility binding table" reads on session information)). That is, "the location of session information" is the IP address and mobile node ID entries of the mobility binding table (Fig. 5), since the table is indexed by them. Further, the IP address is used as an access terminal identifier for any mobile node on the network.

Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary sikil in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. Claims 1-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gwon et al (US Pub. 2003/0104814 A1), hereafter "Gwon," in view of Leung (US Pat. 6.501.746).

Art Unit: 2452

11. As to claim 1, Gwon discloses an access terminal (Fig. 4a, 401, a mobile node), comprising:

transceiver means adapted for high rate packet data communications (inherent in [0039], lines 7-11);

session information identification means for providing a location of session information for a current data communication session, wherein the location information identifies a storage location external to the access terminal ([0064], lines 1-11, during Post-MIT operation, when the mobile node (access terminal) moves from oFA [old Foreign Agent] to nFA [new Foreign agent], the node sends a Hreg(m) to the nFA that contains the IP address of the oFA (location of session information), from which the nFA retrieves information to form the tunnel).

But, Gwon does not disclose an element comprising the storage location assigns the location of session information as an access terminal identifier.

However, Leung discloses an element comprising a storage location of session information assigns the location of session information as an access terminal identifier (column 5, lines 7-15, home agent (element) assigns IP address to mobile node as an access terminal identifier; home agent stores information related to the mobile node sessions arranged by IP address and

mobile node ID (column 5, line 66-column 6, line 2 and Fig. 5, "mobility binding table" reads on session information)).

Page 7

Therefore it would have been obvious to one of ordinary skill at the time of the invention to combine the teachings of Gwon and Leung because both Leung and Gwon disclose systems related to the management of mobile nodes and the combination would yield a system with more efficient means to arrange and store session information.

- 12. As to claim 2, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose the location of the session information is identified by a first Internet Protocol (IP) address ([0064], lines 2-7).
- 13. As to claim 3, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose the transceiver means is further adapted to receive the location of session information and provide the location of the session information to the session information identification means (inherent in Gwon, [0064], lines 1-11, as the mobile node is communicating with the nFA with the wireless IP network).

14. As to claim 4, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose the session information identification means comprises:

Page 8

session information determination means adapted to receive the location of the session information (inherent in Gwon, [0064], lines 1-11, as the mobile node is communicating with the nFA with the wireless IP network and therefore is constantly receiving the location of the node's session information).

an access terminal identifier generator, wherein the access terminal identifier generator uses the location of session information as an access terminal identifier (Leung, column 5, line 66-column 6, line 2 and Fig. 5, "mobility binding table" reads on session information).

- 15. As to claim 5, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose providing a pointer to the location of session information (Leung, column 5, line 66-column 6, line 2 and Fig. 5).
- 16. As to claim 6, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose providing an initial random identifier prior to receiving the location of the session information (Leung, column 5, line 66column 6, line 2 and Fig. 5).

- 17. As to claim 7, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose a processor adapted to initiate an access request, wherein the access request initiates a session (Gwon, [0045], lines 9-12).
- 18. As to claim 8, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose providing a compressed version of the location of session information (Gwon, [0064], lines 3-7).
- 19. As to claim 9, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose the location of session information is identified by an Internet Protocol (IP) address wherein the IP address is constructed using the compressed version of the location (Leung, column 5, line 66-column 6, line 2 and Fig. 5).
- 20. As to claim 10, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose the mobile station identifier generator provides a portion of the IP address as a mobile station identifier (Leung, column 5, line 66-column 6, line 2 and Fig. 5).
- 21.As to claim 11, Gwon and Leung disclose the invention substantially in regard to the parent claims, and further disclose the portion of the IP address is locally

Art Unit: 2452

unique within a current portion of a communication system (Leung, column 5, line 66-column 6, line 2 and Fig. 5).

- 22. Claims 12, 15, 16, 18, and 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over by Eyuboglu et al (US Pub. 2002/0196749 A1), hereafter "Eyuboglu," in view of Leung.
- 23. As to claim 12, Eyuboglu discloses a method for a communication session in a wireless communication system supporting Internet Protocol (IP) communications (Abstract), the method comprising:

receiving a request for a first communication session([0033], when the access terminal sends a RATI it acts as a request for a UATI);

establishing the first communication session ([0034], lines 1-7); storing session information for the first communication session in a first location ([0036], lines 1-4);

determining a session information IP address to the first location ([0051], lines 1-10, by utilizing the UATI extracted from the AT's packet, the serving RNC is identified (which stores mobility information (session information) as disclosed in [0036], lines 1-4); and

assigning the session information IP address to a mobile station identifier for an access terminal participant to the first communication session ([0051], lines 1-10).

Art Unit: 2452

But, Eyuboglu does not disclose an element comprising the first location assigns the location of session information as an access terminal identifier.

However, Leung discloses an element comprising a storage location of session information assigns the location of session information as an access terminal identifier (column 5, lines 7-15, home agent (element) assigns IP address to mobile node as an access terminal identifier; home agent stores information related to the mobile node sessions arranged by IP address and mobile node ID (column 5, line 66-column 6, line 2 and Fig. 5, "mobility binding table" reads on session information).

Therefore it would have been obvious to one of ordinary skill at the time of the invention to combine the teachings of Eyuboglu and Leung because both Leung and Eyuboglu disclose systems related to the management of mobile nodes and the combination would yield a system with more efficient means to arrange and store session information.

24. As to claim 15, it is rejected by the same rationale set forth in claim 12's rejection.

Art Unit: 2452

25. As to claim 16, Eyuboglu discloses a method for a communication session in a wireless communication system supporting Internet Protocol (IP) communications, the method comprising:

receiving a message from an access terminal, the message including a mobile station identifier ([0033], lines 1-2);

extracting a session information IP address from the mobile station identifier ([0051], lines 1-10, by utilizing the UATI extracted from the AT's packet, the serving RNC is identified (which stores mobility information (session information) as disclosed in [0036], lines 1-4));

requesting session information using the session information IP address ([0074], a session transfer occurs and inherently will include the IP address of the previous serving RNC since communication is occurring in an IP network); receiving the session information ([0074], lines 8-10); and processing the communication session with the access terminal([0074]).

But, Eyuboglu does not disclose an element comprising the first location assigns the location of session information as an access terminal identifier.

However, Leung discloses an element comprising a storage location of session information assigns the location of session information as an access terminal identifier (column 5, lines 7-15, home agent (element) assigns IP address to mobile node as an access terminal identifier; home agent stores

information related to the mobile node sessions arranged by IP address and mobile node ID (column 5, line 66-column 6, line 2 and Fig. 5, "mobility binding table" reads on session information).

Therefore it would have been obvious to one of ordinary skill at the time of the invention to combine the teachings of Eyuboglu and Leung because both Leung and Eyuboglu disclose systems related to the management of mobile nodes and the combination would yield a system with more efficient means to arrange and store session information.

- 26.As to claim 18, it is rejected by the same rationale set forth in claim 16's rejection.
- 27. As to claim 21, Eyuboglu and Leung disclose the invention substantially in regard to the parent claim, and further disclose a session holder in a wireless communication system supporting Internet Protocol (IP) communications, the session holder being assigned an IP address (Eyuboglu, [0036], lines 1-4, the serving RNC reads on "a session holder"), the session holder comprising: receiver for receiving a request message, the request message having a

destination portion identifying the element (Eyuboglu, [0074], lines 3-10, the serving RNC receives request for "a session transfer" and responds);

Art Unit: 2452

memory storage unit for storing session information for a first session (Eyuboglu, inherent in [0036], lines 1-4);

transmitter for sending a response to the request message, the response including at least a portion of the session information for the first session (Eyuboglu, [0074], lines 3-10).

28. As to claim 22, Eyuboglu and Leung disclose the invention substantially in regard to the parent claim, and further discloses an infrastructure element in a wireless communication system supporting Internet Protocol (IP) communications, the element having an IP address (Eyuboglu, [0030], an RN (radio node) reads on "the element"), the element comprising:

receiver for receiving a communication from an access terminal (Eyuboglu, [0030]), the communication including a mobile station identifier (Eyuboglu, [00331):

processor coupled to the receiver, the processor determining a session holder IP address from the mobile station identifier (Eyuboglu, [0051], lines 1-10, the serving RNC reads on "a session holder"); and

means for sending an IP request for session information of the communication with the access terminal, wherein the IP request uses the session holder IP address as a destination address (Eyuboglu, [0051], lines 4-12).

29. Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Eyuboglu and Leung, as applied to claim 12, in view of Ray et al (US Pub.

No. 2003/0135626), hereafter "Ray."

30. As to claim 13, Eyuboglu and Leung do not disclose that the mobile station

identifier includes a color code corresponding to a portion of the wireless

communication system.

However, Ray discloses that a mobile station identifier includes a color code

corresponding to a portion of the wireless communication system ([0029], lines 1-

6).

Therefore it would have been obvious to one of ordinary skill in the art at the

time of the invention to combine the teachings Eyuboglu and Ray in order to

allow Eyuboglu's system to work with common wireless communication systems,

which include color codes.

31. As to claim 14, Ray discloses the color code is a compressed version of a sector

identification value ([0029], lines 1-6).

32. Claims 17 and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Eyuboglu and Leung, as applied to claims 16 and 18, in view of Kato et al.

(US Pub. No. 2002/0078226 A1), hereafter "Kato."

33. As to claim 17 and 19. Evuboglu and Leung do not disclose mapping the session information IP address to a full IP address and generating an IP packet using the full IP address.

However, Kato discloses mapping an IP address ([0067], lines 1-4, IP address is added to the datagram and then IP address is compressed) and generating an IP packet using the full IP address ([0067], lines 1-4, the datagram is an IP packet and compression was done after the IP address was inserted into the datagram).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Eyuboglu, Leung, and Kato in order to save bandwidth by compressing the IP address before transmission.

34. As to claim 20, Kato discloses the compressed value is locally unique within a portion of the wireless communication system ([0045]).

Conclusion

- 35. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
- 36. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed

Art Unit: 2452

within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Page 17

- 37. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas J. Dailey whose telephone number is 571-270-1246. The examiner can normally be reached on Monday thru Friday; 9:00am 5:00pm.
- 38. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thu Nguyen can be reached on 571-272-6967. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/620,724 Page 18

Art Unit: 2452

39. Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

 $\label{published applications may be obtained from either Private PAIR or Public PAIR. \\$

Status information for unpublished applications is available through Private PAIR

only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-

free). If you would like assistance from a USPTO Customer Service

Representative or access to the automated information system, call 800-786-

9199 (IN USA OR CANADA) or 571-272-1000.

/T. J. D./

Examiner, Art Unit 2452

/THU NGUYEN/

Supervisory Patent Examiner, Art Unit 2452